

Logica

emergency



Batt. NiMH



Highly professional CT device with native LG, LGFM versions for direct connection to the respective control panels. No CBL version. Luminous flux up to **2.000lm**, and adjustable autonomy.



Great flexibility thanks to multiple versions and accessories for all installation requirements. Pictograms supplied.



Unique fixture of its kind, thanks to the exclusive installation system with **quick coupling bracket**, it reduces installation and maintenance times: in no case is it necessary to open the lamp body. **Even the system modules are already integrated in the various pre-wired versions LG, LGFM.**

Applications

Industry, Services, Hospitals, Schools, Hotels, Restaurants

Characteristics

Power supply* 230VAC \pm 10%, 50÷60Hz

Mounting Wall, ceiling, recessed, false ceiling

Recharging time 12h


Housing Polycarbonate, white RAL 9003

Optics Symmetrical, anti-glare metallic polycarbonate

Screen Clear polycarbonate

Compliance EN 60598-1, EN 60598-2-2, EN 60598-2-22, UNI EN 1838, UNI 11222, EN 62034

* LG230, LG24, systems consider the parameters of the control unit used




Version	Dimensions mm				Distance of visibility (DV)
	L	B	H	H1	
Standard	406	147	63	-	20m
Recessed	440	170	-	10	20m

Performance according to EN 1838


Height (m)	Centre distance (m) ESCAPE ROUTES		Illuminated surface area (m) LARGE AREAS	
	Wall	Ceiling	Wall	Ceiling
2.5	11	-	6x9	-
3	-	19	-	10x16
7	-	28	-	12x26
Lighting >1lx at floor level along the centre line without reflections Emax/Emin <40			Lighting >0.5lx at floor level without reflections Emax/Emin <40	
Performance with reference to luminaire Order Code 12184 1100 lm			Maintenance coefficient 0.8	

LOGICA




	Order code	W eq.	Description	Version	Autonomy h	Flux SE lm	Flux SA lm	Input power		Note	
								DC	AC		
CT	LG										
	12182	8	LOG LED LG 8W SE 2/4/6H	SE	2/4/6	750/450/350	-		4W		
	12185	8	LOG LED LG 8W SA/PS 2/4/6H	SE/SA/PS	2/4/6	750/450/350	400		8W		
	12183	11	LOG LED LG 11W SE 1.5/3/4H	SE	1.5/3/4	900/550/450	-		4W		
	12186	11	LOG LED LG 11W SA/PS 1.5/3/4H	SE/SA/PS	1.5/3/4	900/550/450	500		10W		
	12184	24	LOG LED LG 24W SE 1/2/3H	SE	1/2/3	1100/750/550	-		6W		
	12187	24	LOG LED LG 24W SA/PS 1/2/3H	SE/SA/PS	1/2/3	1100/750/550	600		14W		
	19410	36	LOGICA LED LGAR SE 1100LM	SE	1/1.5/3	2000/1500/800			7W		
	19411	36	LOGICA LED LGAR SA 1100LM	SE/SA/PS	1/1.5/3	2000/1500/800	1000		13W		
	CT	LGFM									
12182FM		8	LOG LED LGFM 8W SE 2/4/6H	SE	2/4/6	750/450/350	-		5W		
12185FM		8	LOG LED LGFM 8W SA/PS 2/4/6H	SE/SA/PS	2/4/6	750/450/350	400		9W		
12183FM		11	LOG LED LGFM 11W SE 1.5/3/4H	SE	1.5/3/4	900/550/450	-		5W		
12186FM		11	LOG LED LGFM 11W SA/PS 1.5/3/4H	SE/SA/PS	1.5/3/4	900/550/450	500		11W		
12184FM		24	LOG LED LGFM 24W SE 1/2/3H	SE	1/2/3	1100/750/550	-		7W		
12187FM		24	LOG LED LGFM 24W SA/PS 1/2/3H	SE/SA/PS	1/2/3	1100/750/550	600		15W		
CTS	LG230										
	31140	8	LOGICA LED 8W LG230				400	4.1W	8.5VA		
	31141	11	LOGICA LED 11W LG230 LS-UV				500	6.4W	8.1VA		
	31099	24	LOGICA LED 24W LG230 LS-UV				900	10.4W	12VA		
	31120	36	LOGICA LED 36W LG230 LS-UV				1400	15W	15.9VA		
CTS	LG24										
	32096	8	LOGICA LED 8W LGS24			400	400	3.8W	-		
32089	36	LOGICA LED 36W LGS24 LS-UV			400	1400	4.3W	15.4VA			

ACCESSORIES - included




CABLE CONDUIT GLAND




RH SCREEN - SA version only
Screen printing on opal polycarbonate

Order Code **12175**




QUICK WALL MOUNTING BRACKET IP65

Order Code **12199**



LH SCREEN - SA version only
Screen printing on opal polycarbonate


Order Code **12176**



DOWN SCREEN - SA version only
Screen printing on opal polycarbonate


Order Code **12177**

ACCESSORIES - to be ordered separately




RECESSED FRAME BOX

Order Code **12179**




UP SCREEN
Screen printing on opal polycarbonate

Order Code **12178**




FALSE CEILING BRACKET
Recess hole 414X150 mm

Order Code **12180**




RH SCREEN
Screen printing on opal polycarbonate

Order Code **12175**




PROTECTIVE GRILLE
Dimensions 440x215x99 mm

Order Code **3912**



LH SCREEN
Screen printing on opal polycarbonate


Order Code **12176**



LG INIBIT REMOTE CONTROL
RM for LG versions only

Order Code **12101**

LG



DOWN SCREEN
Screen printing on opal polycarbonate

Order Code **12177**